


MICHROME





MD Nichrome is a display typeface referencing the typography of science fiction paperbacks from the 70s and early 80s. Many of the typefaces from this time and genre, originally drawn for dry transfer or phototypesetting, were never digitised as carefully as they deserved — MD Nichrome seeks to remedy this for modern technologies and styles, not by reviving any single typeface, but by capturing elements of many.

Across eight discrete weights, ranging from *infra-light* to *ultra-black*, the typeface's appearance shifts smoothly from an irregularly-proportioned, almost delicate hairline to a punchy, maximum-impact super-bold. With two sets of transformative stylistic alternates, designed to work in any combination, MD Nichrome is a versatile typographic palette — suited to a broad range of styles from hyper-retro to highly contemporary.

MD Nichrome's oblique styles are designed with reference to the mechanical slanting found in many dry transfer and phototype faces. These designs distorted the upright styles into obliques, rather than true italics — while MD Nichrome corrects for most of this distortion, it leaves just a little. Paired with a fairly steep angle (10–12°), the result is a distinctive, dynamic appearance that leans into the typeface's existing character.









Infra

Thin

Light

Regular

Dark

Bold

Black

Ultra

Infra Oblique

Thin Oblique

Light Oblique

Regular Oblique

Dark Oblique

Bold Oblique

Black Oblique

Ultra Oblique



PHOSPHORESCENT BLUE

72pt

Rounded Alternates

Neolithic Ritual Site A1 (North) Sub-Orbital Rocket Launches

48pt

Geometric Alternates

SATURN 1 TEST – CAPE CANAVERAL (FL), OCT. 27, 1961 First US Apollo Program Mission [SA-1] LC 34 Hugo 1966 · Asimov's 'Foundation' (1942–50)



Gothic Alternates

Cinematographer 38

/2pt

Geometric Alternates, Barless Fractions

CARBON-BASED FORMS OF LIFE Museum [Ext 76½] & Galleries

48pt

Solid Arrows

NB-600 'Cultural Sites' → (4 Catalog Entries) [2016–20] THE "UTAH MONOLITH" INVESTIGATION Site-Specific Art, or Alien Communication?

MD Nichrome © Mass-Driver 2024 mass-driver.com 5 / 17



New 25 Infrastructure

72pt

Rounded Alternates

Isolatorweg (Am. Metrolijn 51) [0.99] GENERATORSTRAAT-ZUID

48pt

Gothic Alternates

Rocket Lab Electron [17m RP-1/LOX] Version 2 225 → 300KG PAYLOAD TO LOW EARTH ORBIT 'Research Engine Designation' (Instruction)



SPACE PHOTOGRAPHER

72pt

Rounded Alternates

USGS AREA 30-65°S, 120-180°E Eridania Quadrangle, Mars

48pt

Gothic Alternates

Frank Herbert's "DUNE" (1965) · First Edition MINOR BLEMISHES; BINDING IN GOOD COND. New Classics [Science Fiction] Collection



Agena [RM/81] Stage

/2pt

Geometric Alternates

LOCKHEED CORP. (1959–1987) NASA · Gemini Target Vehicle

48pt

Geometric & Rounded Alternates

UDMH/RFNA FUEL-RICH GAS-GENERATOR CYCLE Bell Aerosystems XLR81 (Model No. 8096) INTRODUCED 1957; ACTIVE THROUGH 1984

MD Nichrome © Mass-Driver 2024 mass-driver.com 8 / 17



Bioinformatics Dept

CRISPR-Cas9:57; STRUCT 12 (RF.0137) Please Do Not Eat

[DEPT. FOR GENETICS & MATERIAL RESEARCH] **Exclusive Property of Bene Tleilaxu (81) New Interplanetary Sales Mechanisms**

MD Nichrome © Mass-Driver 2024 mass-driver.com 9 / 17



96pt Rounded Alternates

"PHOTO-LETTERING"

72pt

Gothic Alternates

Graphic Design Ephemera LETRASET® TYPEFACE CORP

48pt

\$23.99 Integrated Spacing Guidelines
TRADEMARK 'KERN-O-MATIC' SYSTEMTM
For Perfect Letter-Spacing Every Time!

MD Nichrome @ Mass-Driver 2024 mass-driver.com 10 / 17

_



96pt Gothic Alternates

ADVENTURE SWORD

72pt Rounded Alternates

New Supernova Discovery OBSERVATIONS 2035 → 38

48pt

M74 [NGC 628]: THE PHANTOM GALAXY
30±6 Megalightyears from Our Planet
Recordings & Data Analysis (Pp. 761–5)

MD Nichrome @ Mass-Driver 2024 mass-driver.com 11 / 17

_



-			
Uppercase	ABCDEFGHIJKLMNOPQRSTUVWXYZ		
Lowercase	abcdefghijklmnopqrstuvwxyz		
Proportional Figures	0123456789	Tabular Figures	0123456789
Symbols	@&&¶§©®®™° ¦†‡a°	Mathematics	/+-×÷=><~¬^µ%%
Punctuation	.,:;!¡?¿·•*#/\(){}[]"',""	"''«»‹› '"‴	
Currency	₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽	Arrows	↑/>//// / / / / / / /
Super- & Subscript	0123456789	Numerators & Denominators	0123456789 / 0123456789
Precomposed Fractions	1/2 1/3 2/3 1/4 3/4 1/8 3/8 5/8 7/8	Diacritics	
Uppercase Extended	ÂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂĂ	ĬĮŧĨÍĴŖĶĸĸĹĹĻĻŢļ	PÞŔŘŖŔŖŖŖŚŠ\$Ŝ\$ŞBŦŤŢŢŢÚŬ
Lowercase Extended	áăăăăăăăâââââaaàdāaaâã ęɛẽəğǧĝġġġħḫhĥhḥhiíĭĭîî ôốộồổỗöọòòơơợờởỡőō ùủưứựừửữűūųůũ∧ẃŵẅẁ	ijìiīįŧĩijı́jĵķķƙϗĺľ ɔøõœṗþŕřŗċŗŗ	rśšşŝşşßŧťţţţtúŭŭûüűüüüü



ss01 Geometric Alternates	Retaken	Retaken	ss02 Rounded Alternates	Armoury	Armoury
ss03 Gothic Alternates	HEAVEN	HEAVEN	ss04 Solid Arrows	LHR->LAX	LHR→LAX
ss05 Barless Fractions	31/2 km	31 ₂ km	frac Arbitrary Fractions	528/491	528/ ₄₉₁
ordn Ordinals	1a 2o	1ª 2°	tnum Tabular Figures	€130.99	€130.99
sups Superscript	x2+3y	x ² +3y	subs, sinf Subscript, scientific inferiors	H2SO4	H ₂ SO ₄
case Case-Sensitive Forms	«H-H» i¿H	«H-H» ičH	calt Contextual Alternates	flatfish	flatfish
locl Localised Forms (Northern Sami,* Catalan)	Ŋ L·L	ŊĿL		RESOLVE 12:30 S-P-Q-R AVATAR	RESOLVE 12:30 S·P·Q·R AVATAR

^{*}Also accessible via the cv09 character variant feature (see next page).

mass-driver.com



For finer control than the stylistic alternate sets, which affect multiple characters at once, Nichrome includes character variant (cvXX) features, which affect one character at a time (along with any accented or derived versions).

This table provides a quick reference for situations where the cvXX feature names aren't displayed, e.g. in CSS.

Variant tag*	Name
cv01	Rounded A
cv02	Gothic A
cv03	Gothic E
cv04	Geometric K
cv05	Rounded M
cv06	Gothic M
cv07	Rounded N
cv08	Gothic N
cv09	Sami Eng (Ŋ)
cv10	Geometric R
cv11	Gothic V
cv12	Rounded W
cv13	Gothic W
cv14	Rounded X
cv15	Rounded Y
cv16	Geometric Ampersand (&)
cv17	Geometric a
cv18	Gothic e
cv19	Geometric j
cv20	Geometric k
cv21	Rounded m
cv22	Rounded n
cv23	Rounded r
cv24	Geometric t
cv25	Rounded u
cv26	Rounded w
cv27	Rounded y

^{*}Example usage: .geo-ampersand { font-feature-settings: "cv16" on; }



Showing 159 of a total 424 supported languages. You can view the complete list at mass-driver.com/typeface/md-nichrome.

Afrikaans Akan Albanian Asturian Asu Azerbaijani Bafia Bambara Basque Bemba Bena Bosnian Breton Catalan Cebuano

Chickasaw Chiga Colognian Cornish Corsican Croatian Czech Danish Duala Dutch Embu English Esperanto Estonian Ewondo Faroese **Filipino** Finnish

French

Friulian

Fula

Ga

Galician Ganda German Guarani Gusii Hausa Hawaiian Hungarian **Icelandic** Ido Igbo Inari Sami Indonesian Interlingua Irish Italian Javanese Jju Jola-Fonyi Kabuverdianu Kaingang Kako Kalaallisut Kalenjin Kamba Kikuyu Kinyarwanda Kovra Chiini Kovraboro Senni Kurdish Kwasio Latvian Lingala Lithuanian

Luba-Katanga Luo Luxembourgish Luyia Machame Makhuwa-Meetto Makonde Malagasy Malay Maltese Manx Māori Mapuche Meru Meta' Mi'kmaw Mohawk Morisyen Nheengatu Nigerian Pidgin North Ndebele Northern Sami Northern Sotho Norwegian Bokmål Norwegian Nynorsk Nyanja Nyankole Occitan Oromo Polish Portuguese Ouechua Rejang Romanian Lojban Romansh Low German Rombo Lower Sorbian Rundi

Samburu Samoan Sango Sangu Sardinian Scottish Gaelic Sena Shambala Shona Sicilian Slovak Slovenian Soga Somali South Ndebele Southern Sotho Spanish Sundanese

Rwa

Swahili Swati Swedish Swiss German Taita Taroko Tasawag Teso Tongan Tsonga Tswana Turkish Turkmen Tyap Upper Sorbian Uzbek Vietnamese Vunjo

Walloon Walser Welsh Western Frisian

Wolastogey Wolof Xhosa Yangben Yoruba Zarma Zulu

For languages with multiple scripts or writing systems, only the Latin is supported (unless noted otherwise).

While we take care to ensure our language support is as complete and accurate possible, we can't guarantee that every regional or language-specific variation of a glyph is included. Please get in touch if you need a custom version to better fit your language.



Styles / Instances

Style	wght¹	slnt²	OS/2 width/weight class
Infra	100	0	5/100
Infra Oblique	100	-10	5 / 100
Thin	200	0	5 / 200
Thin Oblique	200	-10	5 / 200
Light	300	0	5 / 300
Light Oblique	300	-10	5 / 300
Regular	400	0	5 / 400
Regular Oblique	400	-10	5 / 400
Dark	500	0	5 / 500
Dark Oblique	500	-10	5 / 500
Bold	700	0	5 / 700
Bold Oblique	700	-10	5 / 700
Black	800	0	5 / 800
Black Oblique	800	-10	5 / 800
Ultra	900	0	5 / 900
Ultra Oblique	900	-10	5 / 900

¹ Equivalent to the CSS font-weight attribute.

MD Nichrome Variable (Available on request)

Axis		Min	Max
Weight	(wght)	100	900
Slant	(slnt)	0	-10

Formats / Sizes

Style	Filesize	Contour Type
OTF	179-197 KB	Cubic (CFF)
WOFF2	47-58 KB	Cubic (CFF)
WOFF	52-67 KB	Cubic (CFF)
Variable TTF	317 KB	Quadratic (TTF)
Variable WOFF2	105 KB	Quadratic (TTF)
Variable WOFF	126 KB	Quadratic (TTF)

General Information

Credits	Designed by Rutherford Craze.		
	Thanks to the team at Future Fonts and everyone who licensed in-progress versions of MD Nichrome. Thanks also to Luke Charsley for his feedback throughout the design process, and to everyone whose comments and suggestions helped shape the design.		
File Version	2.020		
First Available	April 2020		
Latest Update	September 2024		
Licensing	MD Nichrome may be used only as permitted by the terms of the Mass-Driver End User License Agreement (EULA).		

https://mass-driver.com/licensing

MD Nichrome © Mass-Driver 2024 mass-driver.com 16 / 17

 $^{^2\,\}mbox{Example}$ usage: .italic { font-variation-settings: "slnt" -10; }



MD Nichrome PDF Specimen

mass-driver.com

© Mass-Driver 2024. All rights reserved. Supporting text in this document is set in MD System. This specimen is intended for informational purposes only, and is not guaranteed to be free from errors (though we did our best).